1DEA 0441 Copy 4 of 4 31 AUG 1961

25X1

	MEMORANDUM FOR:	Chief, Materiel Staff, DPD	
	SUBJECT:	Duping and Readout Racks	
	1. As a part of the present program (determination of IDEALIST assets, needs, and future uses) the question of ELINT duping and readout equipment availability and assignment is being studied. Currently two sets of this equipment seem to fall into an unknown status. One set is in the depot where it was stored upon closing the detachment in Turkey. The second set was left on a		
	loan basis with the Air	· · · · · · · · · · · · · · · · · · ·	
25X1A	2. COMMO, is initiating action to get a complete operational check and rehabilitation as necessary program going on the "duping" equipment now in the depot. In addition, a periodic check schedule will be instituted to insure its serviceability when needed.		
	3. Request action	to be taken by Materiel to:	
	a. Confirm the fact that such equipment is on hand and available as alleged.		
	b. Determine	a current status of equipment.	
	-	nort notice to a possible future detachment in another European	
	duping equipment now i	nt consideration is to install at Edwards the n depot. This would only be practical if the	

1

25X1

Approved For Release 2002/07/31 : CA REPOS-00313A000600080072-9

should that detachment be activated. Regardless of our future positioning, it is desirable to get a fix on our inventory.

Chief, Special Projects Branch, DPD

25X1A

ce: DPD/COMMO

25X1A

DPD/SPB (29 Aug 1961)

Distribution:

#1 - DPD/C/MS

#2 - DPD/C/COMMO

#3 - DPD/SPB

#4 - DPD/RI